WHERE VALUE MEETS **EXCELLENCE.**

LNKU | TANGENTIAL Facemill TRUE 90° Shoulder Milling

INTRODUCTORY OFFER

PURCHASE	**10 LNKU** Inserts	*if a cutter has 10 or more pockets 20 insert purchase
RECEIVE	A corresponding **facemill** included in this promotion **at no charge**	

* Up to and including 6”

Valid through participating US distributors only.
Some restrictions may apply.

RJW INDUSTRIAL GROUP, INC.
Nate Lively
nlively@rjwindustrial.com
(717)-314-0530

YG

yg1usa.com

800.765.8665

LNKU INDEXABLE MILLING / **Tangential Facemill**



Higher clamping stability
wedge shaped pocket

TRUE 90 ° SHOULDER



* **Tangential Facemill**
Enlarged core diameter
Higher productivity

Reinforced cutting edge
Predictable, durable and stable machining



Tangential type **Radial type**

→ LNKU – Economical 4 Cutting Edges

Long length of cutting edge
High depth of cut

Curved cutting edge
Minimized mismatch at step machining

High positive rake face
Optimized chip formation and minimized burr

High helix cutting edge
Smooth cutting and low cutting force



Thicker insert
Ultra rigidity

Wide wiper flat cutting edge
Excellent surface finish

Tangential clamping system
Rigid clamping and stable machining

LNKU Insert & Cutter Introductory Offer

PURCHASE **10 LNKU13** Inserts per pocket *

RECEIVE A corresponding **facemill** included in this promotion **at no charge**

* The number of inserts must be matched by the number of pockets on each facemill.



Unit : Imperial

MILLING CUTTER									QUANTITY OF INSERTS	
YG-1 EDP No.	DESCRIPTIONS	CICT	DC	DCSFMS	DCONMS	LF	APMX	COOLANT	Per Pocket	Per Facemill
17000891	F90-LNHU13R-D200Z4S075i	4	2	1.75	.75	1.575	.433	●	10	40
17000892	F90-LNHU13R-D200Z5S075i	5	2	1.75	.75	1.575	.433	●	10	50
17000893	F90-LNHU13R-D250Z7S075i	7	2.5	1.75	.75	1.969	.433	●	10	70
17000894	F90-LNHU13R-D300Z6S100i	6	3	2.19	1	1.969	.433	●	10	60
17000895	F90-LNHU13R-D300Z8S100i	8	3	2.19	1	1.969	.433	●	10	80
17000896	F90-LNHU13R-D400Z8S125i	8	4	2.88	1.25	1.969	.433	●	10	80
17000897	F90-LNHU13R-D400Z12S125i	12	4	2.88	1.25	1.969	.433	●	10	120
17000898	F90-LNHU13R-D500Z10S150i	10	5	3.81	1.5	2.48	.433	●	10	100
17000899	F90-LNHU13R-D600Z12S200i	12	6	4.882	2	2.48	.433	●	10	120
17000900	F90-LNHU13R-D600Z18S200i	18	6	4.882	2	2.48	.433	●	10	180

▼ LNKU13 Milling Insert (10pcs/Pack)

Unit : Imperial Unit : Imperial

YG-1 EDP No.	DESCRIPTION	L	W1	S	APMX	RE	BS	AP	FEED (in/z)
12000739	LNKU130608R - **YG602**	.520	.260	.480	.430	.032	.082	.020-.430	.002-.012
12000740	LNKU130608R - **YG612**	.520	.260	.480	.430	.032	.082	.020-.430	.002-.012
12000741	LNKU130608R - **YG613**	.520	.260	.480	.430	.032	.082	.020-.430	.002-.012
12000742	LNKU130608R - **YG5020**	.520	.260	.480	.430	.032	.082	.020-.430	.002-.012
12000763	LNKU130612R - **YG602**	.520	.260	.480	.430	.047	.068	.059-.430	.002-.012
12000764	LNKU130612R - **YG612**	.520	.260	.480	.430	.047	.068	.059-.430	.002-.012
12000765	LNKU130612R - **YG613**	.520	.260	.480	.430	.047	.068	.059-.430	.002-.012
12000766	LNKU130612R - **YG5020**	.520	.260	.480	.430	.047	.068	.059-.430	.002-.012



YG-1 ROTARY TOOLING

HYDRAULIC CHUCK (Power E)

SHELL MILL ARBOR

END MILL HOLDER

SK SLIM CHUCK

ER COLLET CHUCK

SHRINK FIT HOLDER

POWER MILLING CHUCK

TAPPING ER CHUCK

YG-1 USA

730 Corporate Woods Parkway
Vernon Hills, IL 60061 U.S.A.

800. 765. 8665 / Technical Assistance: 888.868.5988
yg1usa.com

YG-1 Headquarters

13-40, Songdogwahak-ro 16beon-gil, Yeonsu-gu,
Incheon, 21984, South Korea

+82. 32 .526 .0909
yg1.kr

Valid through participating US distributors only.
Some restrictions may apply.

YouTube

Search 'YG-1' on social media outlets

yg1usa.com